

```

NEW FILE.
DATASET NAME DataSet1 WINDOW=FRONT.
T-TEST GROUPS=group(1 2)
  /MISSING=ANALYSIS
  /VARIABLES=sum
  /CRITERIA=CI(.95).

```

T-Test

Notes		
Output Created		13-JUN-2019 00:23:11
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	66
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=group(1 2) /MISSING=ANALYSIS /VARIABLES=sum /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

[DataSet1]

Group Statistics

	group	N	Mean	Std. Deviation	Std. Error Mean
sum	1	33	11.15	2.706	.471
	2	33	10.64	2.737	.476

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means	
		F	Sig.	t	df
sum	Equal variances assumed	.348	.558	.769	64
	Equal variances not assumed			.769	63.992

Independent Samples Test

		t-test for Equality of Means			
		Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference Lower
sum	Equal variances assumed	.445	.515	.670	-.823
	Equal variances not assumed	.445	.515	.670	-.823

Independent Samples Test

		t-test for Equality of Means	
		95% Confidence Interval of the Difference	
		Upper	
sum	Equal variances assumed	1.853	
	Equal variances not assumed	1.853	