

Your temporary usage period for IBM SPSS Statistics will expire in 6027 days.

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
      VAR00009 VAR00010
  /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:44:51
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.04

[DataSet0]

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.5333
VAR00003	30	.4667
VAR00004	30	.6000
VAR00005	30	.5333
VAR00006	30	.5333
VAR00007	30	.5667
VAR00008	30	.5667
VAR00009	30	.5667
VAR00010	30	.5667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:47:27	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.

Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6333
VAR00002	30	.5667
VAR00003	30	.5000
VAR00004	30	.6000
VAR00005	30	.5333
VAR00006	30	.5000
VAR00007	30	.6000
VAR00008	30	.6000
VAR00009	30	.6000
VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:48:33	
Comments		
Input	Active Dataset	DataSet0

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.5333
VAR00003	30	.4667
VAR00004	30	.5667
VAR00005	30	.4667
VAR00006	30	.5000
VAR00007	30	.6000
VAR00008	30	.5667
VAR00009	30	.5667
VAR00010	30	.5667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes		
Output Created		01-JUL-2019 04:49:26
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.5667
VAR00002	30	.5667
VAR00003	30	.4667
VAR00004	30	.6000
VAR00005	30	.4667
VAR00006	30	.4667
VAR00007	30	.6000
VAR00008	30	.5667
VAR00009	30	.5333

VAR00010	30	.6333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
      VAR00009 VAR00010
  /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:50:08
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
--	---	------

VAR00001	30	.6000
VAR00002	30	.6000
VAR00003	30	.5000
VAR00004	30	.6333
VAR00005	30	.5000
VAR00006	30	.4667
VAR00007	30	.6667
VAR00008	30	.5667
VAR00009	30	.5667
VAR00010	30	.6667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:50:48	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.

Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
VAR00001	30	.5667
VAR00002	30	.6000
VAR00003	30	.4667
VAR00004	30	.6000
VAR00005	30	.4667
VAR00006	30	.4667
VAR00007	30	.5667
VAR00008	30	.5667
VAR00009	30	.5667
VAR00010	30	.5667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:51:27
Comments	
Input	Active Dataset DataSet0

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.6333
VAR00003	30	.5667
VAR00004	30	.6000
VAR00005	30	.5333
VAR00006	30	.4667
VAR00007	30	.5667
VAR00008	30	.6000
VAR00009	30	.6333
VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes		
Output Created		01-JUL-2019 04:51:57
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.5000
VAR00003	30	.5667
VAR00004	30	.5333
VAR00005	30	.5333
VAR00006	30	.4333
VAR00007	30	.5667
VAR00008	30	.6000
VAR00009	30	.5333

VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
      VAR00009 VAR00010
  /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:52:30
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
--	---	------

VAR00001	30	.6667
VAR00002	30	.4667
VAR00003	30	.5333
VAR00004	30	.5667
VAR00005	30	.5000
VAR00006	30	.4333
VAR00007	30	.5333
VAR00008	30	.5667
VAR00009	30	.5333
VAR00010	30	.6333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:52:56
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.

Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6667
VAR00002	30	.5667
VAR00003	30	.5667
VAR00004	30	.5333
VAR00005	30	.5333
VAR00006	30	.5333
VAR00007	30	.5667
VAR00008	30	.5667
VAR00009	30	.6000
VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:53:31	
Comments		
Input	Active Dataset	DataSet0

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.5333
VAR00003	30	.5667
VAR00004	30	.5000
VAR00005	30	.5000
VAR00006	30	.5000
VAR00007	30	.5667
VAR00008	30	.5333
VAR00009	30	.5667
VAR00010	30	.6333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes		
Output Created		01-JUL-2019 04:54:02
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.03

Descriptive Statistics

	N	Mean
VAR00001	30	.6333
VAR00002	30	.6333
VAR00003	30	.5667
VAR00004	30	.5333
VAR00005	30	.5000
VAR00006	30	.5333
VAR00007	30	.5667
VAR00008	30	.5667
VAR00009	30	.6000

VAR00010	30	.6667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
      VAR00009 VAR00010
  /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:54:31
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
--	---	------

VAR00001	30	.6333
VAR00002	30	.5667
VAR00003	30	.5333
VAR00004	30	.5000
VAR00005	30	.4667
VAR00006	30	.5333
VAR00007	30	.5333
VAR00008	30	.5333
VAR00009	30	.5333
VAR00010	30	.5333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:54:55
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.

Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6667
VAR00002	30	.5667
VAR00003	30	.5000
VAR00004	30	.6000
VAR00005	30	.5000
VAR00006	30	.5667
VAR00007	30	.5333
VAR00008	30	.6000
VAR00009	30	.5667
VAR00010	30	.5667
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:55:18
Comments	
Input	Active Dataset DataSet0

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.5667
VAR00003	30	.5000
VAR00004	30	.5667
VAR00005	30	.5000
VAR00006	30	.5333
VAR00007	30	.5333
VAR00008	30	.6000
VAR00009	30	.5333
VAR00010	30	.5333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes		
Output Created		01-JUL-2019 04:55:48
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
VAR00001	30	.5333
VAR00002	30	.5000
VAR00003	30	.5000
VAR00004	30	.5333
VAR00005	30	.5000
VAR00006	30	.4667
VAR00007	30	.5333
VAR00008	30	.6000
VAR00009	30	.4667

VAR00010	30	.5333
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created		01-JUL-2019 04:56:09
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax	DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
--	---	------

VAR00001	30	.6000
VAR00002	30	.5333
VAR00003	30	.5667
VAR00004	30	.5333
VAR00005	30	.5333
VAR00006	30	.5333
VAR00007	30	.5667
VAR00008	30	.6333
VAR00009	30	.5667
VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
    VAR00009 VAR00010
    /STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:56:34	
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.

Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Descriptive Statistics

	N	Mean
VAR00001	30	.5667
VAR00002	30	.4667
VAR00003	30	.5333
VAR00004	30	.5667
VAR00005	30	.5000
VAR00006	30	.5667
VAR00007	30	.5667
VAR00008	30	.6667
VAR00009	30	.6333
VAR00010	30	.6000
Valid N (listwise)	30	

```
DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006
VAR00007 VAR00008
VAR00009 VAR00010
/STATISTICS=MEAN.
```

Descriptives

Notes

Output Created	01-JUL-2019 04:57:02	
Comments		
Input	Active Dataset	DataSet0

	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=VAR00001 VAR00002 VAR00003 VAR00004 VAR00005 VAR00006 VAR00007 VAR00008 VAR00009 VAR00010 /STATISTICS=MEAN.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Descriptive Statistics

	N	Mean
VAR00001	30	.6000
VAR00002	30	.4667
VAR00003	30	.6000
VAR00004	30	.5667
VAR00005	30	.6000
VAR00006	30	.6000
VAR00007	30	.6000
VAR00008	30	.7000
VAR00009	30	.7000
VAR00010	30	.6333
Valid N (listwise)	30	